


REVISIONS	
A	ISSI ZONE
c	Improve drawing format
D	ADD SPEC

3rd ANGLE PROJECTION

THIS DOCUMENT AND THE DESIGN SHOWN THEREON IS THE PROPERTY OF ROUNE PTY LTD AND MUST NOT BE SOLD, LENT, GIVEN AWAY, COPIED, REPRODUCED OR OTHERWISE DIVULGED TO ANY THIRD PARTY OR USED FOR MANUFACTURE.

DO NOT SCALE



SPECIFICATION
for AMA-4251-N

- FREQ: 800-1000MHZ
- 1700-2200MHZ
- THRU LOSS: <math>< 0.3dB</math> (LOW BAND)
- <math>< 0.7dB</math> (HIGH BAND)
- RTN LOSS: -15dB MAX. ALL PORTS
- ISO: 70-95dB LOW BAND TO HIGH BAND
- 60-90dB HIGH BAND TO LOW BAND
- 10 WATTS CW PER PORT
- INPUT POWER: 50 Dims
- IMPEDANCE: N FEMALE (LOW IM PLATED)
- CONNECTOR: N FEMALE (LOW IM PLATED)
- TEMP: -30 TO +60 °C
- SIZE: 124 x 118 x 19 + CONN.

UNLESS OTHERWISE STATED ALL DIMENSIONS ARE IN MILLIMETRES (mm)

TOLERANCE: LINEAR ± 0.1 ANGULAR $\pm 1^\circ$ REMOVE ALL BURRS AND SHARP EDGES



ROUONE PTY LTD ABN: 69 002 691 241
61 AERO RD INGLEBURN 2565
STONEY, AUSTRALIA
Ph: (612) 9829 1555 Fax: (612) 9805 8812
Web: www.rohde.com.au E-mail: sales@rohde.com.au

TITLE
2 WAY CROSS BAND COMBINER
(N TYPE) INTERFACE DRAWING
DRWG No: 001002CRS030

MATERIAL	N/C	DRAWN	Y. GU	SCALE	1:1	SHEET	1 OF 1
FINISH	N/C	CHECKED	H. JIA	FILENAME	001002CRS030ISSD.DWG	A2	
		APPROVED	B. G.				

REVISION	DATE	CHECKED
A	25-01-2001	H. JIA
B	09-02-2001	H. JIA
C	10-01-2003	H. JIA
D	18-08-2004	H. JIA